Attention-Deficit/Hyperactivity Disorder

Diagnostic Criteria

- A. A persistent pattern of inattention and/or hyperactivity-impulsivity that interferes with functioning or development, as characterized by (1) and/or (2):
 - 1. Inattention: Six (or more) of the following symptoms have persisted for at least 6 months to a degree that is inconsistent with developmental level and that negatively impacts directly on social and academic/occupational activities:

Note: The symptoms are not solely a manifestation of oppositional behaviour, defiance, hostility, or failure to understand tasks or instructions. For older adolescents and adults (age 17 and older), at least five symptoms are required.

- a. Often fails to give close attention to details or makes careless mistakes in schoolwork, at work, or during other activities (e.g., overlooks or misses details, work is inaccurate).
- Often has difficulty sustaining attention in tasks or play activities (e.g., has difficulty remaining focused during lectures, conversations, or lengthy reading).
- c. Often does not seem to listen when spoken to directly (e.g., mind seems elsewhere, even in the absence of any obvious distraction).
- d. Often does not follow through on instructions and fails to finish schoolwork, chores, or duties in the workplace (e.g., starts tasks but quickly loses focus and is easily sidetracked).
- e. Often has difficulty organizing tasks and activities (e.g., difficulty managing sequential tasks; difficulty keeping materials and belongings in order; messy, disorganized work; has poor time management; fails to meet deadlines).
- f. Often avoids, dislikes, or is reluctant to engage in tasks that require sustained mental effort (e.g., schoolwork or homework; for older adolescents and adults, preparing reports, completing forms, reviewing lengthy papers).
- g. Often loses things necessary for tasks or activities (e.g., school materials, pencils, books, tools, wallets, keys, paperwork, eyeglasses, mobile telephones).
- h. Is often easily distracted by extraneous stimuli (for older adolescents and adults, may include unrelated thoughts).
- i. Is often forgetful in daily activities (e.g., doing chores, running errands; for older adolescents and adults, returning calls, paying bills, keeping appointments).
- 2. Hyperactivity and impulsivity: Six (or more) of the following symptoms have persisted for at least 6 months to a degree that is inconsistent with developmental level and that negatively impacts directly on social and academic/occupational activities: Note: The symptoms are not solely a manifestation of oppositional behaviour, defiance, hostility, or a failure to understand tasks or instructions. For older adolescents and adults (age 17 and older), at least five symptoms are required.
 - a. Often fidgets with or taps hands or feet or squirms in seat.

- b. Often leaves seat in situations when remaining seated is expected (e.g., leaves his or her place in the classroom, in the office or other workplace, or in other situations that require remaining in place).
- c. Often runs about or climbs in situations where it is inappropriate. (Note: In adolescents or adults, may be limited to feeling restless.)
- d. Often unable to play or engage in leisure activities quietly.
- e. Is often "on the go," acting as if "driven by a motor' (e.g., is unable to be or uncomfortable being still for extended time, as in restaurants, meetings; may be experienced by others as being restless or difficult to keep up with).
- f. Often talks excessively.
- g. Often blurts out an answer before a question has been completed (e.g., completes people's sentences; cannot wait for turn in conversation).
- h. Often has difficulty waiting his or her turn (e.g., while waiting in line).
- i. Often interrupts or intrudes on others (e.g., butts into conversations, games, or activities; may start using other people's things without asking or receiving permission; for adolescents and adults, may intrude into or take over what others are doing).
- B. Several inattentive or hyperactive-impulsive symptoms were present prior to age 12 years.
- C. Several inattentive or hyperactive-impulsive symptoms are present in two or more settings (e.g., at home, school, or work; with friends or relatives; in other activities).
- D. There is clear evidence that the symptoms interfere with, or reduce the quality of, social, academic, or occupational functioning.
- E. The symptoms do not occur exclusively during the course of schizophrenia or another psychotic disorder and are not better explained by another mental disorder (e.g., mood disorder, anxiety disorder, dissociative disorder, personality disorder, substance intoxication or withdrawal).

Specify whether:

314.01 (F90.2) Combined presentation: If both Criterion Al (inattention) and Criterion A2 (hyperactivity-impulsivity) are met for the past 6 months.

314.00 (F90.0) Predominantly inattentive presentation: If Criterion Al (inattention) is met but Criterion A2 (hyperactivity-impulsivity) is not met for the past 6 months. 314.01 (F90.1) Predominantly hyperactive impulsive presentation: If Criterion A2 (hyperactivity-impulsivity) is met and Criterion Al (inattention) is not met for the past 6 months.

Specify if:

in partial remission: When full criteria were previously met, fewer than the full criteria have been met for the past 6 months, and the symptoms still result in impairment in social, academic, or occupational functioning.

Specify current severity:

Mild: Few, if any, symptoms in excess of those required to make the diagnosis are present, and symptoms result in no more than minor impairments in social or occupational functioning.

Moderate: Symptoms or functional impairment between "mild" and "severe" are present.

Severe: Many symptoms in excess of those required to make the diagnosis, or several symptoms that are particularly severe, are present, or the symptoms result in marked impairment in social or occupational functioning.

Diagnostic Features

The essential feature of attention-deficit/hyperactivity disorder (ADHD) is a persistent pattern of inattention and / or hyperactivity-impulsivity that interferes with functioning or development. Inattention manifests behaviourally in ADHD as wandering off task, lacking persistence, having difficulty sustaining focus, and being disorganized and is not due to defiance or lack of comprehension. Hyperactivity refers to excessive motor activity (such as a child running about) when it is not appropriate, or excessive fidgeting, tapping, or talkativeness. In adults, hyperactivity may manifest as extreme restlessness or wearing others out with their activity. Impulsivity refers to hasty actions that occur in the moment without forethought and that have high potential for harm to the individual (e.g., darting into the street without looking). Impulsivity may reflect a desire for immediate rewards or an inability to delay gratification. Impulsive behaviours may manifest as social intrusiveness (e.g., interrupting others excessively) and/or as making important decisions without consideration of long-term consequences (e.g., taking a job without adequate information).

ADHD begins in childhood. The requirement that several symptoms be present before age 12 years conveys the importance of a substantial clinical presentation during childhood. At the same time, an earlier age at onset is not specified because of difficulties in establishing precise childhood onset retrospectively. Adult recall of childhood symptoms tends to be unreliable, and it is beneficial to obtain ancillary information.

Manifestations of the disorder must be present in more than one setting (e.g., home and school, work). Confirmation of substantial symptoms across settings typically cannot be done accurately without consulting informants who have seen the individual in those settings. Typically, symptoms vary depending on context within a given setting. Signs of the disorder may be minimal or absent when the individual is receiving frequent rewards for appropriate behaviour, is under close supervision, is in a novel setting, is engaged in especially interesting activities, has consistent external stimulation (e.g., via electronic screens), or is interacting in one-on-one situations (e.g., the clinician's office).

Associated Features Supporting Diagnosis

Mild delays in language, motor, or social development are not specific to ADHD but often cooccur. Associated features may include low frustration tolerance, irritability, or mood lability. Even in the absence of a specific learning disorder, academic or work performance is often impaired. Inattentive behaviour is associated with various underlying cognitive processes, and individuals with ADHD may exhibit cognitive problems on tests of attention, executive function, or memory, although these tests are not sufficiently sensitive or specific to serve as diagnostic indices. By early adulthood, ADHD is associated with an increased risk of suicide attempt, primarily when comorbid with mood, conduct, or substance use disorders.

No biological marker is diagnostic for ADHD. As a group, compared with peers, children with ADHD display increased slow wave electroencephalograms, reduced

total brain volume on magnetic resonance imaging, and possibly a delay in posterior to anterior cortical maturation, but these findings are not diagnostic. In the uncommon cases where there is a known genetic cause (e.g., Fragile X syndrome, 22q11 deletion syndrome), the ADHD presentation should still be diagnosed.